




INSTRUCTIONS FOR ASSEMBLY, CLEANING AND USE



POLICE 373 / 475 / 577



- 1) In order to carry out the shelving assembly, follow the instructions in the herewith attached drawing (according to the indicated scheme).
- 2) Once assembly is complete, use a suitable thickness gauge to check the following distances:
 - a) end side cap play ≤ 0.15 mm
 - b) end side foot play ≤ 0.15 mm
 - c) upright attachment play ≤ 0.2 mm
 - d) side attachment play ≤ 0.2 mm
- 3) To keep the shelving under perfect hygiene conditions, it is necessary to clean - on a regular basis - the whole surface with a rag wet with water and biodegradable detergent.
- 4) Instructions for use:
 - a) Find here below the table relevant to the shelving carrying capacity, according to different lengths. The load shall be uniformly arranged on the shelf itself as specified in the table below.
 - b) According to health regulations, it is compulsory to assembly the bottom shelf at a height not lower than 150 mm from the floor in order to make the cleaning of the underneath part possible.
 - c) Always in accordance with health regulations, in case a shelf is moved from its original positions to another one, it is compulsory to cover the hole of the support pedestal by means of the appropriate label.

Linear shelf load capacity

L=532 mm 260 Kg	L=620 mm 250 Kg	L=708 mm 240 Kg	L=798 mm 230 Kg	L=886 mm 220 Kg	L=974 mm 210 Kg	L=1062 mm 190 Kg	L=1152 mm 170 Kg	L=1240 mm 150 Kg
L=1330 mm 140 Kg	L=1505 mm 120 Kg	L=1682 mm 110 Kg	L=1770 mm 100 Kg	L=1858 mm 90 Kg	L=1946 mm 80 Kg			

Load capacity with corner connection

L=532 mm 180 Kg	L=620 mm 170 Kg	L=708 mm 160 Kg	L=798 mm 150 Kg	L=886 mm 140 Kg	L=974 mm 130 Kg	L=1062 mm 120 Kg	L=1152 mm 110 Kg	L=1240 mm 100 Kg
90 Kg	100 Kg	100 Kg	120 Kg	130 Kg	120 Kg	120 Kg	110 Kg	100 Kg
L=1330 mm 100 Kg	L=1505 mm 90 Kg	L=1682 mm 80 Kg	L=1770 mm 80 Kg	L=1858 mm 70 Kg	L=1946 mm 60 Kg			
80 Kg	80 Kg	70 Kg	40 Kg	30 Kg	30 Kg			

List of service organizations::

CZ: **RM Gastro CZ s.r.o.**, Náchodská 818/16, Praha 9, tel. +420 281 926 604,
info@rmgastro.cz, www.rmgastro.cz

SK: **RM GASTRO - JAZ S.R.O.**, Rybárska 1, Nové Mesto nad Váhom, tel. +421 32 7717 061,
obchod@jaz.sk, www.jaz.sk

PL: **RM GASTRO Polska Sp. z o.o.**, ul. Sportowa 15a, 43-450 Ustroń, tel. +48 33 854 73 26
info@rmgastro.pl, www.rmgastro.pl