

# Technical data sheet

Product features



## Fry-top griddle plate grooved with cabinet

<b>Model</b>	<b>SAP Code</b>	00019422
FTR 740 G	<b>A group of articles - web</b>	Pans



- Ignition: Piezo + Eternal Flame
- Protection of controls: IP24
- Service accessibility: Trough the frontal panel

<b>SAP Code</b>	00019422	<b>Net Height [mm]</b>	900
<b>Net Width [mm]</b>	400	<b>Net Weight [kg]</b>	52.00
<b>Net Depth [mm]</b>	730	<b>Power gas [kW]</b>	7.000


# Technical data sheet

Technical drawing



## Fry-top griddle plate grooved with cabinet

<b>Model</b>	<b>SAP Code</b>	00019422
FTR 740 G	<b>A group of articles - web</b>	Pans



# Technical data sheet

Technical parameters



## Fry-top griddle plate grooved with cabinet

<b>Model</b>	<b>SAP Code</b>	00019422
FTR 740 G	<b>A group of articles - web</b>	Pans

**1. SAP Code:**

00019422

**2. Net Width [mm]:**

400

**3. Net Depth [mm]:**

730

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

52.00

**6. Gross Width [mm]:**

440

**7. Gross depth [mm]:**

800

**8. Gross Height [mm]:**

1080

**9. Gross Weight [kg]:**

59.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

With substructure

**12. Power gas [kW]:**

7.000

**13. Ignition:**

Piezo + Eternal Flame

**14. Protection of controls:**

IP24

**15. Exterior color of the device:**

Stainless steel

**16. Material:**

AISI 304 top plate and cladding

**17. Worktop material:**

AISI 304

**18. Worktop Thickness [mm]:**

12.00

**19. Surface finish:**

sandblasted surface without coating

**20. Service accessibility:**

Trough the frontal panel

**21. Safety thermocouple:**

Yes

**22. Adjustable feet:**

Yes

**23. Connection to a ball valve:**

1/2