

# Technical data sheet

## Product features



### Gas stove 8 zones

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012624 |
| PCT-916G     | <b>A group of articles - web</b> | Stoves   |



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 10
- Power consumption of the zone 2 [kW]: 10
- Power consumption of the zone 3 [kW]: 7
- Power consumption of the zone 4 [kW]: 7
- Power consumption of the zone 5 [kW]: 7
- Power consumption of the zone 6 [kW]: 7
- Ignition: Eternal flame
- Material: AISI 304

|                        |                             |                                             |    |
|------------------------|-----------------------------|---------------------------------------------|----|
| <b>SAP Code</b>        | 00012624                    | <b>Power consumption of the zone 1 [kW]</b> | 10 |
| <b>Net Width [mm]</b>  | 1600                        | <b>Power consumption of the zone 2 [kW]</b> | 10 |
| <b>Net Depth [mm]</b>  | 900                         | <b>Power consumption of the zone 3 [kW]</b> | 7  |
| <b>Net Height [mm]</b> | 280                         | <b>Power consumption of the zone 4 [kW]</b> | 7  |
| <b>Net Weight [kg]</b> | 158.00                      | <b>Power consumption of the zone 5 [kW]</b> | 7  |
| <b>Power gas [kW]</b>  | 56.000                      | <b>Power consumption of the zone 6 [kW]</b> | 7  |
| <b>Type of gas</b>     | Propane butane, natural gas | <b>Power consumption of the zone 7 [kW]</b> | 4  |
| <b>Number of zones</b> | 8                           | <b>Power consumption of the zone 8 [kW]</b> | 4  |

# Technical data sheet

Technical drawing



| Gas stove 8 zones |                           |          |
|-------------------|---------------------------|----------|
| Model             | SAP Code                  | 00012624 |
| PCT-916G          | A group of articles - web | Stoves   |

# Technical data sheet

## Technical parameters



### Gas stove 8 zones

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012624 |
| PCT-916G     | <b>A group of articles - web</b> | Stoves   |

**1. SAP Code:**

00012624

**2. Net Width [mm]:**

1600

**3. Net Depth [mm]:**

900

**4. Net Height [mm]:**

280

**5. Net Weight [kg]:**

158.00

**6. Gross Width [mm]:**

1670

**7. Gross depth [mm]:**

1050

**8. Gross Height [mm]:**

550

**9. Gross Weight [kg]:**

168.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

Table top

**12. Power gas [kW]:**

56.000

**13. Ignition:**

Eternal flame

**14. Type of gas:**

Propane butane, natural gas

**15. Exterior color of the device:**

Stainless steel

**16. Material:**

AISI 304

**17. Worktop type:**

Molded - comfortable cleaning maintenance

**18. Worktop material:**

AISI 304

**19. Number of zones:**

8

**20. Power consumption of the zone 1 [kW]:**

10

**21. Power consumption of the zone 2 [kW]:**

10

**22. Power consumption of the zone 3 [kW]:**

7

**23. Power consumption of the zone 4 [kW]:**

7

**24. Power consumption of the zone 5 [kW]:**

7

**25. Power consumption of the zone 6 [kW]:**

7

**26. Power consumption of the zone 7 [kW]:**

4

**27. Power consumption of the zone 8 [kW]:**

4

**28. Grid material:**

Cast iron

# Technical data sheet

Technical parameters



## Gas stove 8 zones

|              |                                  |          |
|--------------|----------------------------------|----------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012624 |
| PCT-916G     | <b>A group of articles - web</b> | Stoves   |

### 29. Service accessibility:

From the front by removing the front panel and waste fluid containers

### 30. Safety thermocouple:

Yes

### 31. Adjustable feet:

Yes

### 32. Number of burners/hot plates:

8

### 33. Type of gas cooking zones:

Classic

### 34. Burner type:

Brass, detachable

### 35. Connection to a ball valve:

1/2