

Technical data sheet

Product features



Food display island heated, glass ceramic GN 6-1/1 Wenge

Model	SAP Code	00012216
TR BROWN+ 6W	A group of articles - web	Sideboards and showcases



- Buffet type: BROWN - heated, glass-ceramic
- Device properties: Warmed
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- Minimum device temperature [°C]: 60
- Maximum device temperature [°C]: 100

SAP Code	00012216	Loading	230 V / 1N - 50 Hz
Net Width [mm]	2144	Number of GN / EN	6
Net Depth [mm]	650	GN / EN size in device	GN 1/1
Net Height [mm]	1488	Minimum device temperature [°C]	60
Net Weight [kg]	147.70	Maximum device temperature [°C]	100
Power electric [kW]	1.710		

Technical data sheet

Technical drawing



Food display island heated, glass ceramic GN 6-1/1 Wenge

Model	SAP Code	00012216
TR BROWN+ 6W	A group of articles - web	Sideboards and showcases

A= ELECTRICAL CONNECTION
D= WATER DISCHARGE ø14



GN	L
3/1	1169
4/1	1494
6/1	2144



Technical data sheet

Product benefits



Food display island heated, glass ceramic GN 6-1/1 Wenge

Model	SAP Code	00012216
TR BROWN+ 6W	A group of articles - web	Sideboards and showcases

1

Glass ceramic plate

smooth hard surface
endurance

2

No press

without sharp edges and corners

3

All-stainless steel construction

harmless to health for contact with food
robustness

4

Halogen lighting

heating from above

5

Travel wheels

portable buffet table

6

Breath galley

galerka made of hygienic pexiglass with infrared heating

Technical data sheet

Technical parameters



Food display island heated, glass ceramic GN 6-1/1 Wenge

Model	SAP Code	00012216
TR BROWN+ 6W	A group of articles - web	Sideboards and showcases

1. SAP Code:

00012216

2. Net Width [mm]:

2144

3. Net Depth [mm]:

650

4. Net Height [mm]:

1488

5. Net Weight [kg]:

147.70

6. Gross Width [mm]:

2208

7. Gross depth [mm]:

750

8. Gross Height [mm]:

1595

9. Gross Weight [kg]:

168.00

10. Device type:

Electric unit

11. Material:

Stainless steel

12. Buffet type:

BROWN - heated, glass-ceramic

13. Device properties:

Warmed

14. Exterior color of the device:

RAL

15. Power electric [kW]:

1.710

16. Loading:

230 V / 1N - 50 Hz

17. Number of GN / EN:

6

18. GN / EN size in device:

GN 1/1

19. Minimum device temperature [°C]:

60

20. Maximum device temperature [°C]:

100

21. Interior lighting:

No

22. Cross-section of conductors CU [mm²]:

0,5