

Technical data sheet

Product features



Cooking range gas on open cabinet

Model	SAP Code	00008517
SP 740 G	A group of articles - web	Stoves



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 7,5
- Power consumption of the zone 2 [kW]: 4,5
- Ignition: Eternal flame
- Material: AISI 304 top plate and cladding

SAP Code	00008517	Power gas [kW]	12.000
Net Width [mm]	400	Type of gas	Natural gas, propane butane
Net Depth [mm]	730	Number of zones	2
Net Height [mm]	900	Power consumption of the zone 1 [kW]	7,5
Net Weight [kg]	39.00	Power consumption of the zone 2 [kW]	4,5


Technical data sheet

Technical drawing



Cooking range gas on open cabinet

Model	SAP Code	00008517
SP 740 G	A group of articles - web	Stoves



Technical data sheet

Technical parameters



Cooking range gas on open cabinet

Model	SAP Code	00008517
SP 740 G	A group of articles - web	Stoves

1. SAP Code:

00008517

2. Net Width [mm]:

400

3. Net Depth [mm]:

730

4. Net Height [mm]:

900

5. Net Weight [kg]:

39.00

6. Gross Width [mm]:

440

7. Gross depth [mm]:

800

8. Gross Height [mm]:

1080

9. Gross Weight [kg]:

45.50

10. Device type:

Gas unit

11. Construction type of device:

With substructure

12. Power gas [kW]:

12.000

13. Ignition:

Eternal flame

14. Type of gas:

Natural gas, propane butane

15. Exterior color of the device:

Stainless steel

16. Material:

AISI 304 top plate and cladding

17. Worktop type:

Molded - comfortable cleaning maintenance

18. Worktop material:

AISI 304

19. Worktop Thickness [mm]:

1.50

20. Number of zones:

2

21. Power consumption of the zone 1 [kW]:

7,5

22. Power consumption of the zone 2 [kW]:

4,5

23. Grid material:

Cast iron

24. Service accessibility:

Trough the frontal panel

25. Safety thermocouple:

Yes

26. Adjustable feet:

Yes

27. Number of burners/hot plates:

2

28. Type of gas cooking zones:

Classic

Technical data sheet

Technical parameters



Cooking range gas on open cabinet

Model	SAP Code	00008517
SP 740 G	A group of articles - web	Stoves

29. Burner type:

Cast iron, detachable, with internal and external combustion

30. Connection to a ball valve:

1/2