



| Universal mixer planetary 3 speed 24 l 400 V |                              |                              |
|--|------------------------------|------------------------------|
| Model  | SAP Code                     | 00003703                     |
| RM 22HT                                      | A group of<br>articles - web | Cutters and universal robots |




- Control type: Mechanical
- Safety cover: stainless steel with a filling hole
- Start /stop: Yes
- Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
- Number of speeds of device: 3
- Standard equipment for device: boiler, whisk, hook, stirrer
- Additional information: meat grinder, vegetable slicer and 10l kettle with reduction
- Mixing system: With a fixed container
- Way of tool mounting: Planets

| SAP Code        | 00003703 | Power electric [kW]                          | 0.565              |
|-----------------|----------|--|--------------------|
| Net Width [mm]  | 570      | Loading                                      | 400 V / 3N - 50 Hz |
| Net Depth [mm]  | 557      | Bowl lift                                    | Mechanical         |
| Net Height [mm] | 910      | Weight capacity of the device container [kg] | 24.00              |
| Net Weight [kg] | 115.00   |  |                    |



Technical drawing

| Universal mixer planetary 3 speed 24 l 400 V |                           |                              |
|--|---------------------------|------------------------------|
| Model  | SAP Code                  | 00003703                     |
| RM 22HT                                      | A group of articles - web | Cutters and universal robots |







| Universal mixer planetary 3 speed 24 l 400 V |                           |                              |
|--|---------------------------|------------------------------|
| Model  | SAP Code                  | 00003703                     |
| RM 22HT                                      | A group of articles - web | Cutters and universal robots |

### Planetary storage of attachments with 3 speeds

the attachments rotate around their axis and at the same time go around in a circle

better mixing of ingredients; better quality of prepared dough

#### Additional devices

the possibility of grinding or grinding, or wiper arms, or handling carts

- mutifunctionality

#### Content 5 80L

wide sortiment

- always the ideal size for every operation

#### Safety microswitch

without closing the microswitch, the machine will not start

- avoiding possible injury to the operator

#### Protective cover with filling opening

without closing the microswitch, the machine will not start

 Ingredients can be added additionally while ensuring the safety of the staff

#### Whisk, hook, stirrer

great basic equipment

there is no need to buy additional equipment for whipping or kneading

#### No oil bath

the robot has a gearbox that is not stored in an oil basin

- no release of gear oil into the food

#### Reduction boiler

possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original

 simplification of working with smaller volumes of raw materials; the customer does not have to buy a second smaller machine afterwards



### Technical parameters

| Universal mixer planetary 3 spee       | d 24 l 400 V              |  |
|--|---------------------------|--|
| Model                                  | SAP Code                  | 00003703   |
| RM 22HT                                | A group of articles - web | Cutters and universal robots   |
| <b>1. SAP Code:</b> 00003703           |                           | <b>15. Safety cover:</b> stainless steel with a filling hole   |
| <b>2. Net Width [mm]:</b> 570          |                           | 16. Safety element:  total stop complete stop of the device in case of opening the container protects the operator from injury |
| 3. Net Depth [mm]: 557                 |                           | <b>17. Way of tool mounting:</b> Planets   |
| 4. Net Height [mm]: 910                |                           | <b>18. Safety Microswitch:</b> Yes   |
| 5. Net Weight [kg]:<br>115.00          |                           | 19. Start /stop: Yes   |
| 6. Gross Width [mm]:                   |                           | <b>20. Timer:</b> Yes  |
| 7. Gross depth [mm]: 590               |                           | <b>21. Standard equipment for device:</b> boiler, whisk, hook, stirrer   |
| 8. Gross Height [mm]: 1000             |                           | <b>22. Additional information:</b> meat grinder, vegetable slicer and 10l kettle with reduction                                |
| 9. Gross Weight [kg]:<br>135.00        |                           | 23. Unmountable bowl: Yes  |
| 10. Device type: Electric unit         |                           | 24. Bowl lift:  Mechanical   |
| 11. Power electric [kW]: 0.565         |                           | <b>25. Suitable operations:</b> Mixing, whipping and kneading  |
| <b>12. Loading:</b> 400 V / 3N - 50 Hz |                           | <b>26. Mixing system:</b> With a fixed container   |
| 13. Number of speeds of device:        |                           | <b>27.</b> Weight capacity of the device container [kg]: 24.00   |

14. Control type:

Mechanical

1

28. Cross-section of conductors CU [mm<sup>2</sup>]: