

# Technical data sheet

## Product features



### Universal mixer planetary

|              |                                  |                              |
|--------------|----------------------------------|------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00019535                     |
| RMX 20B      | <b>A group of articles - web</b> | Cutters and universal robots |



|                        |          |                            |                    |
|------------------------|----------|----------------------------|--------------------|
| <b>SAP Code</b>        | 00019535 | <b>Net Weight [kg]</b>     | 56.00              |
| <b>Net Width [mm]</b>  | 600      | <b>Power electric [kW]</b> | 0.550              |
| <b>Net Depth [mm]</b>  | 470      | <b>Loading</b>             | 230 V / 1N - 50 Hz |
| <b>Net Height [mm]</b> | 711      |                            |                    |


# Technical data sheet

Technical drawing



## Universal mixer planetary

|              |                                  |                              |
|--------------|----------------------------------|------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00019535                     |
| RMX 20B      | <b>A group of articles - web</b> | Cutters and universal robots |



# Technical data sheet

Technical parameters



## Universal mixer planetary

|              |                                  |                              |
|--------------|----------------------------------|------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00019535                     |
| RMX 20B      | <b>A group of articles - web</b> | Cutters and universal robots |

**1. SAP Code:**

00019535

**2. Net Width [mm]:**

600

**3. Net Depth [mm]:**

470

**4. Net Height [mm]:**

711

**5. Net Weight [kg]:**

56.00

**6. Gross Width [mm]:**

900

**7. Gross depth [mm]:**

490

**8. Gross Height [mm]:**

750

**9. Gross Weight [kg]:**

64.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.550

**12. Loading:**

230 V / 1N - 50 Hz

**13. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5