

Technical data sheet

Product features



8-plate electric stove with 400 V substructure

Model	SAP Code	00005905
PCQ-916ET	A group of articles - web	Stoves



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 4
- Power consumption of the zone 2 [kW]: 4
- Power consumption of the zone 3 [kW]: 4
- Power consumption of the zone 4 [kW]: 4
- Power consumption of the zone 5 [kW]: 4
- Power consumption of the zone 6 [kW]: 4
- Protection of controls: IPX5
- Material: AISI 304

SAP Code	00005905	Power consumption of the zone 2 [kW]	4
Net Width [mm]	1600	Power consumption of the zone 3 [kW]	4
Net Depth [mm]	900	Power consumption of the zone 4 [kW]	4
Net Height [mm]	900	Power consumption of the zone 5 [kW]	4
Net Weight [kg]	160.00	Power consumption of the zone 6 [kW]	4
Power electric [kW]	32.000	Power consumption of the zone 7 [kW]	4
Loading	400 V / 3N - 50 Hz	Power consumption of the zone 8 [kW]	4
Number of zones	8	Diameter of device [mm]	300
Power consumption of the zone 1 [kW]	4		

Technical data sheet

Technical drawing



8-plate electric stove with 400 V substructure

Model	SAP Code	00005905
PCQ-916ET	A group of articles - web	Stoves

Technical data sheet

Product benefits



8-plate electric stove with 400 V substructure

Model	SAP Code	00005905
PCQ-916ET	A group of articles - web	Stoves

1

Square plates

- quick warm-up
efficient cooking on a round surface with easy adhesion to dishes
- time-saving in food preparation
 - easy to use thanks to the large surface area of the cooking plates

2

Internal thermostatic plate protection

- longer service life of the plates
- no overheating of the plates and no cracking

3

Degree of protection of the control elements IPX5

- maintenance-free system
resistance to splash water
long life
- savings on service interventions
 - easy cleaning and maintenance of equipment

4

All-stainless design

- the material does not cut
wear resistance of the material
long life
- savings on service interventions
 - easy cleaning and maintenance of equipment

5

Hygienic moldings of the top plate

- absence of sharp corners and edges (potential places where dirt could stick)
smooth transitions
- easy quick cleaning

6

Square cast iron plates

- durable square-shaped cast-iron plates
- larger plates with higher output
 - also suitable for atypical vessels

Technical data sheet

Technical parameters



8-plate electric stove with 400 V substructure

Model	SAP Code	00005905
PCQ-916ET	A group of articles - web	Stoves

1. SAP Code:

00005905

2. Net Width [mm]:

1600

3. Net Depth [mm]:

900

4. Net Height [mm]:

900

5. Net Weight [kg]:

160.00

6. Gross Width [mm]:

1670

7. Gross depth [mm]:

1050

8. Gross Height [mm]:

1120

9. Gross Weight [kg]:

170.00

10. Device type:

Electric unit

11. Construction type of device:

With substructure

12. Power electric [kW]:

32.000

13. Loading:

400 V / 3N - 50 Hz

14. Protection of controls:

IPX5

15. Material:

AISI 304

16. Worktop type:

Molded - comfortable cleaning maintenance

17. Worktop material:

AISI 304

18. Worktop Thickness [mm]:

2.00

19. Number of zones:

8

20. Power consumption of the zone 1 [kW]:

4

21. Power consumption of the zone 2 [kW]:

4

22. Power consumption of the zone 3 [kW]:

4

23. Power consumption of the zone 4 [kW]:

4

24. Power consumption of the zone 5 [kW]:

4

25. Power consumption of the zone 6 [kW]:

4

26. Power consumption of the zone 7 [kW]:

4

27. Power consumption of the zone 8 [kW]:

4

28. Maximum device temperature [°C]:

300

Technical data sheet

Technical parameters



8-plate electric stove with 400 V substructure

Model	SAP Code	00005905
PCQ-916ET	A group of articles - web	Stoves

29. Minimum device temperature [°C]:

50

35. Number of burners/hot plates:

8

30. Number of power control stages:

7

36. Diameter of device [mm]:

300

31. Service accessibility:

From the front by removing the front panel and waste fluid containers

37. Burner type:

Cast iron, detachable, with internal and external combustion

32. Safety thermostat:

Yes

38. Type of electric cooking zones:

Squared

33. Adjustable feet:

Yes

39. Cross-section of conductors CU [mm²]:

16

34. Additional information:

dvířka nejsou součástí – možno dokoupit