Technical data sheet

Product features

Cooking range drop-in electric 4x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007441
PCD-68ET	**A group of articles - web**	Stoves



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2,6
- Power consumption of the zone 2 [kW]: 2,6
- Power consumption of the zone 3 [kW]: 2,6
- Power consumption of the zone 4 [kW]: 2,6
- Protection of controls: IPX5
- Material: Stainless steel

SAP Code	00007441	**Number of zones**	4
Net Width [mm]	800	**Power consumption of the zone 1 [kW]**	2,6
Net Depth [mm]	600	**Power consumption of the zone 2 [kW]**	2,6
Net Height [mm]	50	**Power consumption of the zone 3 [kW]**	2,6
Net Weight [kg]	33.00	**Power consumption of the zone 4 [kW]**	2,6
Power electric [kW]	10.400	**Diameter of device [mm]**	220
Loading	400 V / 3N - 50 Hz		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Cooking range drop-in electric 4x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007441
PCD-68ET	**A group of articles - web**	Stoves




Tabella	
Descrizione	A
PCD-64ET	400 mm
PCD-68ET	800 mm

A	Data plate		B	Electrical connection	

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Cooking range drop-in electric 4x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007441
PCD-68ET	**A group of articles - web**	Stoves

1 **Round plates**

quick warm-up
efficient cooking on a round surface with easy adhesion to dishes

- time-saving in food preparation
- easy to use thanks to the large surface area of the cooking plates

2 **Internal thermostatic plate protection**

longer service life of the plates

- no overheating of the plates and no cracking

3 **Degree of protection of the control elements IPX5**

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4 **All-stainless design**

the material does not cut
wear resistance of the material
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

5 **Hygienic moldings of the top plate**

absence of sharp corners and edges (potential places where dirt could stick)
smooth transitions

- easy quick cleaning

6 **Variability**

the possibility of attaching to a fixed plate as part of a monoblock
the possibility of creating one module
long life

- cost saving
- space saving
- long service life

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range drop-in electric 4x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007441
PCD-68ET	**A group of articles - web**	Stoves

1. **SAP Code:**
   00007441
2. **Net Width [mm]:**
   800
3. **Net Depth [mm]:**
   600
4. **Net Height [mm]:**
   50
5. **Net Weight [kg]:**
   33.00
6. **Gross Width [mm]:**
   1080
7. **Gross depth [mm]:**
   630
8. **Gross Height [mm]:**
   470
9. **Gross Weight [kg]:**
   38.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Drop-in
12. **Power electric [kW]:**
    10.400
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX5
15. **Material:**
    Stainless steel
16. **Worktop type:**
    Molded - comfortable cleaning maintenance
17. **Worktop material:**
    AISI 304
18. **Worktop Thickness [mm]:**
    2.00
19. **Number of zones:**
    4
20. **Power consumption of the zone 1 [kW]:**
    2,6
21. **Power consumption of the zone 2 [kW]:**
    2,6
22. **Power consumption of the zone 3 [kW]:**
    2,6
23. **Power consumption of the zone 4 [kW]:**
    2,6
24. **Maximum device temperature [°C]:**
    300
25. **Minimum device temperature [°C]:**
    50
26. **Number of power control stages:**
    6
27. **Service accessibility:**
    From the front by removing the front panel and waste fluid containers
31. **Diameter of device [mm]:**
    220

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range drop-in electric 4x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007441
PCD-68ET	**A group of articles - web**	Stoves

28. Safety element:
internal thermostatic protection of the hotplate against overheating

29. Safety thermostat:
Yes

30. Number of burners/hot plates:
4

32. Type of electric cooking zones:
Oval

33. Cross-section of conductors CU [mm²]:
2,5

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062