



Salamander digital 2 heating elements movable upper part 230 V		
Model	SAP Code	00010739
SD 21	A group of articles - web	Salamanders




- Removable bottom shelf: Yes
- Continuously sliding upper part of the device with heating elements: Yes
- Automatic temperature control: Yes
- Stainless steel holder included for easy wall mounting: Yes
- Automatic switch off at the end of the cycle and acoustic signaling: Yes
- HOLD function for temperature maintenance: No
- Number of heating elements: 2 heating elements, 2 heating options

SAP Code	00010739	Power electric [kW]	3.000
Net Width [mm]	400	Loading	230 V / 1N - 50 Hz
Net Depth [mm]	545	Removable bottom shelf	Yes
Net Height [mm]	520	Number of heating elements	2 heating elements, 2 heating options
Net Weight [kg]	39.00		- 1



Technical drawing

Salamander digital 2 heating elements movable upper part 230 V		
Model	SAP Code	00010739
SD 21	A group of articles - web	Salamanders







Salamander digital 2 heating elements movable upper part 230 V		
Model	SAP Code	00010739
SD 21	A group of articles - web	Salamanders

Vermiculite heating segment cover

immediate barrier-free penetration of heat and light from the heating segments very durable material

- intensive heat treatment of food

Special heating elements,

instant thermal run-up

 salamander does not need to be continuously switched on, food is cooked in real time, no waste heat is generated in the kitchen

Sliding system
a sliding system enabling a smooth shift of the lift and setting the required distance from the food

 convenient control without the need to exert force to adjust the distance needed to cook the food

Individual zone control

control elements enabling switching on individual zones of the device

saves energy and extends its life

- energy saving
- allows for the preparation of different sized foods

Stainless steel construction

construction material is high quality stainless steel ensuring long life high hygiene standard

- safe food preparation; long service life; easy cleaning

Wall mount

construction allowing hanging on a wall or structure
- space saving in the kitchen; easy access

Automatic shutdown
automatic shutdown at the end of the set cycle
acoustic signal

- Prevents food spoilage



Technical parameters

Salamander digital 2 heating elem	ents movable uppe	r part 230 V
Model	SAP Code	00010739
SD 21	A group of articles - web	Salamanders
1. SAP Code: 00010739		14. Loading: 230 V / 1N - 50 Hz
2. Net Width [mm]: 400		15. Maximum device temperature [°C]: 230
3. Net Depth [mm]: 545		16. Control type: Digital
4. Net Height [mm]: 520		17. GN / EN size in device: GN 2/3
5. Net Weight [kg]: 39.00		18. Removable bottom shelf: Yes
6. Gross Width [mm]: 530		19. Continuously sliding upper part of the device with heating elements: Yes
7. Gross depth [mm]: 600		20. Automatic temperature control: Yes
8. Gross Height [mm]: 640		21. Stainless steel holder included for easy wall mounting: Yes
9. Gross Weight [kg]: 43.00		22. Automatic switch off at the end of the cycle and acoustic signaling: Yes
10. Device type: Electric unit		23. HOLD function for temperature maintenance: No
11. Material: Stainless steel		24. Number of heating elements: 2 heating elements, 2 heating options - 2 topné elementy, 2 varianty ohřevu
12. Device heating type: Infrared emitter		25. Cross-section of conductors CU [mm²]: 0,75

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

3.000

13. Power electric [kW]: