

Technical data sheet

Product features



Ice maker hollow ice cube 19 g air cooling with drain pump 23 kg/24h

Model	SAP Code	00020494
IMK 2306 W	A group of articles - web	Ice makers



- Cooling type: Water
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Cube
- Weight of ice [g]: 19.00
- Production per day [kg]: 23
- Water consumption [l/h]: 14.90
- Container for ice: Yes
- Ice storage capacity [kg]: 6
- Material: AISI 304

SAP Code	00020494	Water consumption [l/h]	14.90
Net Width [mm]	350	Production per day [kg]	23
Net Depth [mm]	475	Type of ice	Cube
Net Height [mm]	593	Weight of ice [g]	19.00
Net Weight [kg]	32.00	Ice storage capacity [kg]	6
Power electric [kW]	0.240	Max supply water temperature [°C]	38
Loading	230 V / 1N - 50 Hz	Min supply water temperature [°C]	5
Cooling type	Water	Drain pump	No



Technical data sheet

Technical drawing



Ice maker hollow ice cube 19 g air cooling with drain pump 23 kg/24h

Model	SAP Code	00020494
IMK 2306 W	A group of articles - web	Ice makers



Technical data sheet

Product benefits



Ice maker hollow ice cube 19 g air cooling with drain pump 23 kg/24h

Model	SAP Code	00020494
IMK 2306 W	A group of articles - web	Ice makers

1

Firm and crystal clear ice hats

icy hats without dirt

- health safety and aesthetic impression

2

A3S: System with flexible nozzles with minor vibrations

prevents limescale from settling.

- longer life of the device without the need to remove scale

3

Motor pump “NEVER STOP” (construction without seal)

prevents depreciation in hard water

- longer life of the device without the need to remove scale = economic and time savings

4

A backlit rocker switch

simple operation even in reduced visibility or in the dark

- possibility to turn on and off the device even in the dark or with reduced visibility

5

Doors and body made of stainless steel AISI 304

corrosion resistance

- health safety and longer life

6

The smallest ice maker in its line

adaptation to small spaces

- space saving, option variable location of the device

7

Firm and crystal clear ice cubes

icy cubes without dirt

- health safety and aesthetic impression

8

Refrigerant - gas R291

refrigerant with very low benefits to global warming and low energy consumption.

- ecological use and economic savings

9

Tropical version of the machine (class t)

adaptation to extreme climatic conditions.

- use in extreme climatic conditions

Technical data sheet

Technical parameters



Ice maker hollow ice cube 19 g air cooling with drain pump 23 kg/24h

Model	SAP Code	00020494
IMK 2306 W	A group of articles - web	Ice makers

1. SAP Code:

00020494

2. Net Width [mm]:

350

3. Net Depth [mm]:

475

4. Net Height [mm]:

593

5. Net Weight [kg]:

32.00

6. Gross Width [mm]:

440

7. Gross depth [mm]:

550

8. Gross Height [mm]:

715

9. Gross Weight [kg]:

36.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.240

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R290

14. Cooling type:

Water

15. Material:

AISI 304

16. Min ambient temperature [°C]:

10

17. Max ambient temperature [°C]:

43

18. Production per day [kg]:

23

19. Water consumption [l/h]:

14.90

20. Door of device:

Full

21. Type of ice:

Cube

22. Weight of ice [g]:

19.00

23. Container for ice:

Yes

24. Ice storage capacity [kg]:

6

25. Max supply water temperature [°C]:

38

26. Min supply water temperature [°C]:

5

27. Drain pump:

No

28. Cross-section of conductors CU [mm²]:

0,5

Technical data sheet

Technical parameters



Ice maker hollow ice cube 19 g air cooling with drain pump 23 kg/24h

Model	SAP Code	00020494
IMK 2306 W	A group of articles - web	Ice makers

29. Water supply connection:

3/4"

30. Diameter nominal:

DN 50