



Combi convection steam oven STEAMBOX gas 6x GN 1/1 automatic cleaning boiler left door		
Model	SAP Code	00014903
STBB 0611 GL	A group of articles - web	Convection machines




- Steam type: Symbiotic boiler and injection combination (patent)
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- GN device depth: 65
- Control type: Touchscreen + buttons
- Display size: 9"
- Humidity control: MeteoSystem regulation based on direct measurement of humidity in the chamber (patented)
- Advanced moisture adjustment: Steamtuner 5-stage system of setting steam saturation by controlled combination of production by boiler or injection
- Delta T heat preparation: Yes
- Automatic preheating: Yes
- Multi level cooking: Drawer program control of heat treatment for each dish separately
- Door constitution: Vented safety double glass, removable for easy cleaning


SAP Code	00014903	Type of gas	Natural Gas
Net Width [mm]	860	Steam type	Symbiotic - boiler and injection combination (patent)
Net Depth [mm]	795	Number of GN / EN	6
Net Height [mm]	835	GN / EN size in device	GN 1/1
Net Weight [kg]	142.00	GN device depth	65
Power electric [kW]	1.400	Control type	Touchscreen + buttons
Loading	230 V / 1N - 50 Hz	Display size	9"
Power gas [kW]	12.000		



Technical drawing

Combi convection steam oven STEAMBOX gas 6x GN 1/1 automatic cleaning boiler left door		
Model	SAP Code	00014903
STBB 0611 GL	A group of articles - web	Convection machines







### Technical parameters

Combi convection steam oven ST	EAMBOX gas 6x GN 1	/1 automatic cleaning boiler left door
Model	SAP Code	00014903
STBB 0611 GL	A group of articles - web	Convection machines
<b>1. SAP Code:</b> 00014903		<b>14. Type of gas:</b> Natural Gas
2. Net Width [mm]: 860		<b>15. Material:</b> AISI 304
<b>3. Net Depth [mm]:</b> 795		<b>16. Exterior color of the device:</b> Stainless steel
4. Net Height [mm]: 835		<b>17. Adjustable feet:</b> Yes
5. Net Weight [kg]: 142.00		<b>18. Humidity control:</b> MeteoSystem - regulation based on direct measurement of humidity in the chamber (patented)
6. Gross Width [mm]: 955		19. Stacking availability:  Yes
<b>7. Gross depth [mm]:</b> 920		20. Control type: Touchscreen + buttons
8. Gross Height [mm]: 1020		<b>21. Additional information:</b> Version with left door (hinges on the left, handle on the right)
9. Gross Weight [kg]: 152.00		22. Steam type: Symbiotic - boiler and injection combination (patent)
10. Device type: Combined unit		23. Chimney for moisture extraction: Yes
11. Power electric [kW]: 1.400		<b>24. Delayed start:</b> Yes
<b>12. Loading:</b> 230 V / 1N - 50 Hz		<b>25. Display size:</b> 9"
13. Power gas [kW]:		26. Delta T heat preparation:

Yes

12.000



### Technical parameters

Combi convection steam oven ST	EAMBOX gas 6x GN 1/1 a	utomatic cleaning boiler left door
Model	SAP Code	00014903
STBB 0611 GL	A group of articles - web	Convection machines
<b>27. Automatic preheating:</b> Yes		<b>40. Reversible fan:</b> Yes
28. Automatic cooling: Yes		<b>41. Sustaince box:</b> Yes
29. Cold smoke-dry function: Yes		<b>42. Probe:</b> Yes
30. Unified finishing of meals EasyService: Yes		<b>43. Shower:</b> Hand winder
31. Night cooking: Yes		<b>44. Distance between the layers [mm]:</b> 70
<b>32. Washing system:</b> Closed - efficient use of water and repeated pumping	washing chemicals by	<b>45. Smoke-dry function:</b> Yes
33. Detergent type: Liquid washing detergent + liquid rinse aid/vinegar or washing tablets		<b>46. Interior lighting:</b> Yes
34. Multi level cooking:  Drawer program - control of heat treatment for each dish separately		<b>47. Low temperature heat treatment:</b> Yes
<b>35. Advanced moisture adjustment:</b> Steamtuner - 5-stage system of setting steam saturation by controlled combination of production by boiler or injection		48. Number of fans:
<b>36. Slow cooking:</b> from 30 °C - the possibility of rising		<b>49. Number of fan speeds:</b>
37. Fan stop: Immediate when the door is opened		<b>50. Number of programs:</b> 1000
38. Lighting type:  LED lighting in the doors, on both sides		<b>51. USB port:</b> Yes, for uploading recipes and updating firmware

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

39. Cavity material and shape:

AISI 304, with rounded corners for easy cleaning

**52. Door constitution:** 

Vented safety double glass, removable for easy cleaning



### Technical parameters

Combi convection steam oven STEAMBOX gas 6x GN 1/1 automatic cleaning boiler left door		
Model	SAP Code	00014903
STBB 0611 GL	A group of articles - web	Convection machines
<b>53. Number of preset programs:</b> 100		<b>60. GN / EN size in device:</b> GN 1/1
54. Number of recipe steps:		<b>61. GN device depth:</b> 65
<b>55. Minimum device temperature [°C]:</b> 30		<b>62. Food regeneration:</b> Yes
<b>56. Maximum device temperature [°C]:</b> 300		<b>63. Connection to a ball valve:</b> 1/2
<b>57. Device heating type:</b> Combination of steam and hot air		<b>64.</b> Cross-section of conductors CU [mm²]: 0,5
58. HACCP: Yes		<b>65. Diameter nominal:</b> DN 50
59. Number of GN / EN:		66. Water supply connection:

3/4"

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

6