Technical data sheet

Product features

Tilting bratt pan electric 400 V / 3N		
Model	**SAP Code**	00020396
BRM 780 E	**A group of articles - web**	Pans



- Bottom material: Steel
- Bottom thickness: 12.00
- Basin volume [l]: 50
- Usable volume [l]: 50
- Tilting: Motorised
- Filling : Mechanical cock
- Type of pan: Tillting
- Basin shape: Practically shaped bathtub spout to minimize spillage
- Protection of controls: IP24
- Basin dimensions [mm x mm x mm]: 430 x 721 x 133
- Service accessibility: Trough the frontal panel


SAP Code	00020396	**Loading**	400 V / 3N - 50 Hz
Net Width [mm]	800	**Bottom material**	Steel
Net Depth [mm]	730	**Basin volume [l]**	50
Net Height [mm]	900	**Usable volume [l]**	50
Net Weight [kg]	157.40	**Tilting**	Motorised
Power electric [kW]	10.500		


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Tilting bratt pan electric 400 V / 3N		
Model	**SAP Code**	00020396
BRM 780 E	**A group of articles - web**	Pans





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Tilting bratt pan electric 400 V / 3N		
Model	**SAP Code**	00020396
BRM 780 E	**A group of articles - web**	Pans

1. **SAP Code:**
   00020396
2. **Net Width [mm]:**
   800
3. **Net Depth [mm]:**
   730
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   157.40
6. **Gross Width [mm]:**
   840
7. **Gross depth [mm]:**
   800
8. **Gross Height [mm]:**
   1080
9. **Gross Weight [kg]:**
   167.50
10. **Device type:**
    Electric unit
11. **Power electric [kW]:**
    10.500
12. **Loading:**
    400 V / 3N - 50 Hz
13. **Protection of controls:**
    IP24
14. **Exterior color of the device:**
    Stainless steel
15. **Material:**
    AISI 304 top plate and cladding
16. **Indicators:**
    operation and warm-up
17. **Worktop type:**
    Molded - comfortable cleaning maintenance
18. **Worktop material:**
    AISI 304
19. **Worktop Thickness [mm]:**
    1.50
20. **Surface finish:**
    bead blasting
21. **Basin volume [l]:**
    50
22. **Basin dimensions [mm x mm x mm]:**
    430 x 721 x 133
23. **Volume capacity of the container [l]:**
    50.00
24. **Maximum device temperature [°C]:**
    300
25. **Minimum device temperature [°C]:**
    50
26. **Service accessibility:**
    Trough the frontal panel
27. **Safety thermostat:**
    Yes
28. **Safety thermostat up to x ° C:**
    360

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Tilting bratt pan electric 400 V / 3N		
Model	**SAP Code**	00020396
BRM 780 E	**A group of articles - web**	Pans

29. Adjustable feet:
Yes

30. Tilting:
Motorised

31. Bottom thickness:
12.00

32. Bottom material:
Steel

33. Type of pan:
Tillting

34. Usable volume [l]:
50

35. Filling :
Mechanical cock

36. Basin shape:
Practically shaped bathtub spout to minimize spillage

37. Water filling type:
Both cold and warm

38. Cross-section of conductors CU [mm²]:
2,5

39. Water supply connection:
1/2”

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062