



Cooking range drop-in electric 4x drop-in plate 400 V		
Model	SAP Code	00007441
PCD-68ET	A group of articles - web	Stoves




- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2,6
- Power consumption of the zone 2 [kW]: 2,6
- Power consumption of the zone 3 [kW]: 2,6
- Power consumption of the zone 4 [kW]: 2,6
- Protection of controls: IPX5
- Material: Stainless steel

SAP Code	00007441	Number of zones	4
Net Width [mm]	800	Power consumption of the zone 1 [kW]	2,6
Net Depth [mm]	600	Power consumption of the zone 2 [kW]	2,6
Net Height [mm]	50	Power consumption of the zone 3 [kW]	2,6
Net Weight [kg]	33.00	Power consumption of the zone 4 [kW]	2,6
Power electric [kW]	10.400	Diameter of device [mm]	220
Loading	400 V / 3N - 50 Hz		



Technical drawing

Cooking range drop-in electric 4x drop-in plate 400 V		
Model	SAP Code	00007441
PCD-68ET	A group of articles - web	Stoves



Α	Data plate	В	Electrical connection	





Cooking range drop-in electric 4x drop-in plate 400 V		
Model	SAP Code	00007441
PCD-68ET	A group of articles - web	Stoves

Round plates

quick warm-up efficient cooking on a round surface with easy adhesion to dishes

- time-saving in food preparation
- easy to use thanks to the large surface area of the cooking plates
- Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking
- Degree of protection of the control elements IPX5

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment
- All-stainless design

the material does not cut wear resistance of the material long life

- savings on service interventions
- easy cleaning and maintenance of equipment
- Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

easy quick cleaning

Variability

the possibility of attaching to a fixed plate as part of a monoblock the possibility of creating one module long life

- cost saving
- space saving
- long service life

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com



### Technical parameters

Model	SAP Code	00007441	
PCD-68ET	A group of articles - web	Stoves	
<b>1. SAP Code:</b> 00007441		14. Protection of controls:	
2. Net Width [mm]: 800		15. Material: Stainless steel	
<b>3. Net Depth [mm]:</b> 600		<b>16. Worktop type:</b> Molded - comfortable cleaning maintenance	
4. Net Height [mm]: 50		17. Worktop material:  AISI 304	
5. Net Weight [kg]: 33.00		18. Worktop Thickness [mm]:  2.00	
<b>6. Gross Width [mm]:</b> 1080		19. Number of zones:	
7. Gross depth [mm]: 630		20. Power consumption of the zone 1 [kW]:	
8. Gross Height [mm]: 470		21. Power consumption of the zone 2 [kW]:	
9. Gross Weight [kg]: 38.00		22. Power consumption of the zone 3 [kW]:  2,6	
10. Device type: Electric unit		23. Power consumption of the zone 4 [kW]:	
11. Construction type of device:  Drop-in		<b>24. Maximum device temperature [°C]:</b> 300	
12. Power electric [kW]: 10.400		<b>25. Minimum device temperature [°C]:</b> 50	
<b>13. Loading:</b> 400 V / 3N - 50 Hz		<b>26. Number of power control stages:</b>	

fluid containers

From the front by removing the front panel and waste

220



### Technical parameters

Cooking range drop-in electric 4x drop-in plate 400 V			
Model	SAP Code	00007441	
PCD-68ET	A group of articles - web	Stoves	
28. Safety element: internal thermostatic protection of the hotplate against overheating		32. Type of electric cooking zones:  Oval	
<b>29. Safety thermostat:</b> Yes		<b>33. Cross-section of conductors CU [mm²]:</b> 2,5	
30. Number of burners/hot plates:			

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com