Technical data sheet

Product features

Chip scuttle heated from above and bellow infrared heat lamp 230 V / 1N		
Model	**SAP Code**	00007473
BSD-64EM	**A group of articles - web**	Fryers and French Fries Holders



- Drain: No
- Maximum device temperature [°C]: 90
- Minimum device temperature [°C]: 30
- Material: AISI 304
- Heating location: Upper and lower
- Ignition: Electric


SAP Code	00007473	**Loading**	230 V / 1N - 50 Hz
Net Width [mm]	400	**Number of basins**	1
Net Depth [mm]	600	**Width of internal part [mm]**	305
Net Height [mm]	250	**Depth of internal part [mm]**	510
Net Weight [kg]	22.00	**Height of internal part [mm]**	165
Power electric [kW]	1.470		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Chip scuttle heated from above and bellow infrared heat lamp 230 V / 1N		
Model	**SAP Code**	00007473
BSD-64EM	**A group of articles - web**	Fryers and French Fries Holders



A	Data plate		B	Electrical connection	

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Chip scuttle heated from above and bellow infrared heat lamp 230 V / 1N

Model	SAP Code	00007473
BSD-64EM	A group of articles - web	Fryers and French Fries Holders

1. **SAP Code:**
   00007473
2. **Net Width [mm]:**
   400
3. **Net Depth [mm]:**
   600
4. **Net Height [mm]:**
   250
5. **Net Weight [kg]:**
   22.00
6. **Gross Width [mm]:**
   430
7. **Gross depth [mm]:**
   630
8. **Gross Height [mm]:**
   470
9. **Gross Weight [kg]:**
   28.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Drop-in
12. **Power electric [kW]:**
    1.470
13. **Loading:**
    230 V / 1N - 50 Hz
14. **Ignition:**
    Electric
15. **Protection of controls:**
    IPX5
16. **Material:**
    AISI 304
17. **Indicators:**
    operation and warm-up
18. **Device heating type:**
    Infrared emitter
19. **Basin dimensions [mm x mm x mm]:**
    305 x 510 x 165
20. **Maximum device temperature [°C]:**
    90
21. **Minimum device temperature [°C]:**
    30
22. **Power control type:**
    knob control
23. **Safety thermostat:**
    Yes
24. **Adjustable feet:**
    No
25. **Additional information:**
    perforated double liner
26. **False bottom:**
    Yes
27. **Number of basins:**
    1
28. **Drain:**
    No

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Chip scuttle heated from above and bellow infrared heat lamp 230 V / 1N		
Model	**SAP Code**	00007473
BSD-64EM	**A group of articles - web**	Fryers and French Fries Holders

29. GN device depth:
165

30. Heating location:
Upper and lower

31. Width of internal part [mm]:
305

32. Depth of internal part [mm]:
510

33. Height of internal part [mm]:
165

34. Cross-section of conductors CU [mm²]:
0,5

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062