Technical data sheet

Product features

Cooking range drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007440
PCD-64ET	**A group of articles - web**	Stoves



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2,6
- Power consumption of the zone 2 [kW]: 2,6
- Protection of controls: IPX5
- Material: Stainless steel

SAP Code	00007440	**Loading**	400 V / 3N - 50 Hz
Net Width [mm]	400	**Number of zones**	2
Net Depth [mm]	600	**Power consumption of the zone 1 [kW]**	2,6
Net Height [mm]	50	**Power consumption of the zone 2 [kW]**	2,6
Net Weight [kg]	15.00	**Diameter of device [mm]**	220
Power electric [kW]	5.200		

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Cooking range drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007440
PCD-64ET	**A group of articles - web**	Stoves




Tabella	
Descrizione	A
PCD-64ET	400 mm
PCD-68ET	800 mm

A	Data plate		B	Electrical connection	

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Product benefits

Cooking range drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007440
PCD-64ET	**A group of articles - web**	Stoves

1

Round plates

quick warm-up
efficient cooking on a round surface with easy adhesion to dishes

- time-saving in food preparation
- easy to use thanks to the large surface area of the cooking plates

2

Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking

3

Degree of protection of the control elements IPX5

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

All-stainless design

the material does not cut
wear resistance of the material
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

5

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick)
smooth transitions

- easy quick cleaning

6

Variability

the possibility of attaching to a fixed plate as part of a monoblock
the possibility of creating one module
long life

- cost saving
- space saving
- long service life

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007440
PCD-64ET	**A group of articles - web**	Stoves

1. **SAP Code:**
   00007440
2. **Net Width [mm]:**
   400
3. **Net Depth [mm]:**
   600
4. **Net Height [mm]:**
   50
5. **Net Weight [kg]:**
   15.00
6. **Gross Width [mm]:**
   430
7. **Gross depth [mm]:**
   630
8. **Gross Height [mm]:**
   470
9. **Gross Weight [kg]:**
   19.00
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Drop-in
12. **Power electric [kW]:**
    5.200
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IPX5
15. **Material:**
    Stainless steel
16. **Worktop type:**
    Molded - comfortable cleaning maintenance
17. **Worktop material:**
    AISI 304
18. **Worktop Thickness [mm]:**
    2.00
19. **Number of zones:**
    2
20. **Power consumption of the zone 1 [kW]:**
    2,6
21. **Power consumption of the zone 2 [kW]:**
    2,6
22. **Maximum device temperature [°C]:**
    300
23. **Minimum device temperature [°C]:**
    50
24. **Number of power control stages:**
    6
25. **Service accessibility:**
    From the front by removing the front panel and waste fluid containers
26. **Safety element:**
    internal thermostatic protection of the hotplate against overheating

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Cooking range drop-in electric 2x drop-in plate 400 V / 3N		
Model	**SAP Code**	00007440
PCD-64ET	**A group of articles - web**	Stoves

27. Safety thermostat:
Yes

28. Number of burners/hot plates:
2

29. Diameter of device [mm]:
220

30. Type of electric cooking zones:
Oval

31. Cross-section of conductors CU [mm²]:
1

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062