

# Technical data sheet

## Product features



### Fry-top griddle plate grooved on open cabinet

<b>Model</b>	<b>SAP Code</b>	00019421
FTR 740 E	<b>A group of articles - web</b>	Grills and grill plates



- Top type: Grooved
- Griddle dimensions [mm x mm]: 560 x 370
- Griddle thickness [mm]: 12.00
- Worktop material: AISI 304
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Surface finish: sandblasted surface without coating
- Removable rim: Yes

<b>SAP Code</b>	00019421	<b>Power electric [kW]</b>	4.500
<b>Net Width [mm]</b>	400	<b>Loading</b>	380 V / 3N - 50 Hz
<b>Net Depth [mm]</b>	730	<b>Griddle dimensions [mm x mm]</b>	560 x 370
<b>Net Height [mm]</b>	900	<b>Top type</b>	Grooved
<b>Net Weight [kg]</b>	50.90	<b>Worktop type</b>	Molded - comfortable cleaning maintenance


# Technical data sheet

Technical drawing



## Fry-top griddle plate grooved on open cabinet

<b>Model</b>	<b>SAP Code</b>	00019421
FTR 740 E	<b>A group of articles - web</b>	Grills and grill plates



# Technical data sheet

## Technical parameters



### Fry-top griddle plate grooved on open cabinet

<b>Model</b>	<b>SAP Code</b>	00019421
<b>FTR 740 E</b>	<b>A group of articles - web</b>	Grills and grill plates

**1. SAP Code:**

00019421

**2. Net Width [mm]:**

400

**3. Net Depth [mm]:**

730

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

50.90

**6. Gross Width [mm]:**

440

**7. Gross depth [mm]:**

800

**8. Gross Height [mm]:**

1080

**9. Gross Weight [kg]:**

57.50

**10. Device type:**

Electric unit

**11. Construction type of device:**

With substructure

**12. Power electric [kW]:**

4.500

**13. Loading:**

380 V / 3N - 50 Hz

- 380 V / 3N - 50 Hz

**14. Protection of controls:**

IP24

**15. Exterior color of the device:**

Stainless steel

**16. Material:**

AISI 304 top plate and cladding

**17. Indicators:**

operation and warm-up

**18. Worktop type:**

Molded - comfortable cleaning maintenance

**19. Worktop material:**

AISI 304

**20. Worktop Thickness [mm]:**

12.00

**21. Surface finish:**

sandblasted surface without coating

**22. Maximum device temperature [°C]:**

300

**23. Minimum device temperature [°C]:**

50

**24. Service accessibility:**

Trough the frontal panel

**25. Safety thermostat:**

Yes

**26. Safety thermostat up to x ° C:**

360

**27. Adjustable feet:**

Yes

**28. Griddle dimensions [mm x mm]:**

560 x 370

# Technical data sheet

Technical parameters



## Fry-top griddle plate grooved on open cabinet

<b>Model</b>	<b>SAP Code</b>	00019421
FTR 740 E	<b>A group of articles - web</b>	Grills and grill plates

### 29. Griddle thickness [mm]:

12.00

### 32. Top type:

Grooved

### 30. Container for liquid fat:

Yes

### 33. Cross-section of conductors CU [mm<sup>2</sup>]:

0,75

### 31. Removable rim:

Yes