Technical data sheet

Product features

Tilting bratt pan 400 V / 3N		
Model	**SAP Code**	00014509
BRM 780 E/N	**A group of articles - web**	Pans



- Bottom material: Stainless steel - suitable for cooking, easy maintenance
- Bottom thickness: 12.00
- Usable volume [l]: 50
- Tilting: Motorised
- Filling : Mechanical cock
- Type of pan: Tillting
- Protection of controls: IP24
- Service accessibility: Trough the frontal panel


SAP Code	00014509	**Power electric [kW]**	10.500
Net Width [mm]	800	**Loading**	400 V / 3N - 50 Hz
Net Depth [mm]	730	**Bottom material**	Stainless steel - suitable for cooking, easy maintenance
Net Height [mm]	900	**Usable volume [l]**	50
Net Weight [kg]	157.40	**Tilting**	Motorised


RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical drawing

Tilting bratt pan 400 V / 3N		
Model	**SAP Code**	00014509
BRM 780 E/N	**A group of articles - web**	Pans





RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Tilting bratt pan 400 V / 3N		
Model	**SAP Code**	00014509
BRM 780 E/N	**A group of articles - web**	Pans

1. **SAP Code:**
   00014509
2. **Net Width [mm]:**
   800
3. **Net Depth [mm]:**
   730
4. **Net Height [mm]:**
   900
5. **Net Weight [kg]:**
   157.40
6. **Gross Width [mm]:**
   840
7. **Gross depth [mm]:**
   800
8. **Gross Height [mm]:**
   1080
9. **Gross Weight [kg]:**
   167.50
10. **Device type:**
    Electric unit
11. **Construction type of device:**
    Stationary
12. **Power electric [kW]:**
    10.500
13. **Loading:**
    400 V / 3N - 50 Hz
14. **Protection of controls:**
    IP24
15. **Exterior color of the device:**
    Stainless steel
16. **Material:**
    AISI 304 top plate and cladding
17. **Indicators:**
    operation and warm-up
18. **Worktop type:**
    Molded - comfortable cleaning maintenance
19. **Worktop material:**
    AISI 304
20. **Worktop Thickness [mm]:**
    1.50
21. **Maximum device temperature [°C]:**
    300
22. **Minimum device temperature [°C]:**
    50
23. **Service accessibility:**
    Trough the frontal panel
24. **Safety thermostat:**
    Yes
25. **Adjustable feet:**
    Yes
26. **Tilting:**
    Motorised
27. **Bottom thickness:**
    12.00
28. **Bottom material:**
    Stainless steel - suitable for cooking, easy maintenance

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062

Technical data sheet

Technical parameters

Tilting bratt pan 400 V / 3N		
Model	**SAP Code**	00014509
BRM 780 E/N	**A group of articles - web**	Pans

29. Type of pan:
Tillting

30. Usable volume [l]:
50

31. Filling :
Mechanical cock

32. Water filling type:
Both cold and warm

33. Cross-section of conductors CU [mm²]:
2,5

34. Water supply connection:
1/2”

RM GASTRO, s.r.o.,
Třída Čs. armády 816,
391 81 Veselí nad Lužnicí 1, ID:49825062